

INSTRUCTIONS FOR USE	INSTRUCTIONS FOR USE - CATEGORY II	EN
<b>PRODUCT SPECIFIC INFORMATION</b> ONLY ON THIS PAGE		

# TEGERA® 805

Synthetic glove, 15 gg, carbon, nylon, Cat. II, grey, for precision work

EN ISO 21420:2020  
EN 388:2016+A1:2018  
113XX

IEC 61340-5-1:2016  
R < 1,0 x 10<sup>9</sup> Ω

EN 16350:2014  
R < 1,0 x 10<sup>8</sup> Ω

**OUTER MATERIAL SPECIFICATION** Nylon, carbon black  
**SIZE RANGE (EU)** 6,7,8,9,10,11  
**EU-TYPE EXAMINATION** 0075 CTC, 4 rue Hermann Frenkel, 69367 Lyon Cedex 07 France

Made in China  
ONLY FOR EURASIAN ECONOMIC COMMUNITY CUSTOMS UNION MEMBERS  
ПРОДУКЦИЯ СООТВЕТСТВУЕТ ТРЕБОВАНИЮ ТР ТС 019/2011 «О БЕЗОПАСНОСТИ СРЕДСТВ ИНДИВИДУАЛЬНОЙ ЗАЩИТЫ»  
**UK-IMPORTER**  
Ejendals Ltd, Sweden House, 5 upper Montagu Street, London, England, W1 2AG  
**EJENDALS AB**  
Limavägen 28, SE-799 32 Leksand, Sweden  
info@ejendals.com | order@ejendals.com | www.ejendals.com  
Declaration of Conformity → www.ejendals.com/conformity



INSTRUCTIONS FOR USE	INSTRUCTIONS FOR USE - CATEGORY II	EN
<b>PRODUCT SPECIFIC INFORMATION</b> SEE FRONT PAGE FOR PRODUCT SPECIFIC INFORMATION		

Carefully read these instructions before using this product.

**EXPLANATION OF PICTOGRAMS** = 0 Below the minimum performance level for the given individual hazard. X= Not submitted to the test or test method suitable for the glove design or material.  
**Warning!** This product is designed to provide protection specified in PE Regulation (EU) 2016/425 with the detailed levels of performance presented below. However, always remember that no item of PPE can provide full protection and caution must always be taken when exposed to risks.

EN 388:2016 +A1:2018	A. Abrasion resistance	Min. 0. Max. 4	PROTECTIVE GLOVES AGAINST MECHANICAL RISKS. Protection levels are measured from area of glove palm. <b>Warning:</b> For gloves with two or more layers the overall classification of EN 388:2016 +A1:2018 does not necessarily reflect the performance of the outermost layer. Do not use these gloves near moving elements or machinery with unprotected parts. Folding during the cut resistance test, the coupe test results are only valid while the TDM cut resistance test is the reference performance result.
----------------------	------------------------	----------------	---

IEC 61340-5-1	Requirement maximum resistance < 1.0 x 10 <sup>9</sup> Ω	<b>Warning:</b> EN 16350:2014 The person wearing the electrostatic dissipative protective gloves should be properly earthed, e.g. by wearing adequate footwear. Electrostatic dissipative protective gloves shall not be unpacked, opened, adjusted or removed whilst in flammable or explosive atmospheres or while handling flammable or explosive substances. The electrostatic properties of the protective gloves might be adversely affected by ageing, wear, contamination and damage, and might not be sufficient for oxygen-enriched flammable atmospheres and additional assessments are necessary. Test carried out at 25% relative humidity and at test potential 100 V. Glove specimens taken from palm.	
---------------	--	---	--

EN 16350:2014	PROTECTIVE GLOVES - ELECTROSTATIC PROPERTIES	<b>Warning:</b> EN 16350:2014 The person wearing the electrostatic dissipative protective gloves should be properly earthed, e.g. by wearing adequate footwear. Electrostatic dissipative protective gloves shall not be unpacked, opened, adjusted or removed whilst in flammable or explosive atmospheres or while handling flammable or explosive substances. The electrostatic properties of the protective gloves might be adversely affected by ageing, wear, contamination and damage, and might not be sufficient for oxygen-enriched flammable atmospheres and additional assessments are necessary. Test carried out at 25% relative humidity and at test potential 100 V. Glove specimens taken from palm.	
---------------	--	---	--

EN ISO 21420:2020	PROTECTIVE GLOVES - GENERAL REQUIREMENTS AND TEST METHODS	<b>Finger dexterity test:</b> Min. 1, Max. 5 <b>FITTING AND SIZING:</b> All sizes comply with the EN ISO 21420:2020 for comfort, fit and dexterity, if not explained on the front page. If the short model symbol is shown on the front page, the glove is shorter than a standard glove, in order to enhance the comfort for special purposes – for example fine assembly work. Only wear the products in a suitable size. Products which are either too loose or too tight will restrict movement and will not provide the optimal level of protection.	
-------------------	---	--	--

EN 16350:2014	PROTECTIVE GLOVES - GENERAL REQUIREMENTS AND TEST METHODS	<b>Storage and Transport:</b> Ideally stored in dry and dark condition in the original package, between +10° - +30°C. <b>INSPECTION BEFORE USE:</b> Check that the glove does not present holes, cracks, tears, colour change etc. If the product becomes damaged it will not provide the optimal protection and must be disposed of. Never use a damaged product wear for as long as you can. Replace gloves regularly for hygienic use. <b>SHELF LIFE:</b> The nature of the materials used in this product means that the life of this product cannot be determined as it will be affected by many factors, such as storage conditions, usage etc.	
---------------	---	---	--

EN 16350:2014	PROTECTIVE GLOVES - GENERAL REQUIREMENTS AND TEST METHODS	<b>CARE AND MAINTENANCE:</b> The user bears sole responsibility for submitting the product to mechanical washing. For use, as unknown substances can contaminate the product during use and may affect the performance levels of the product. To care for your product, we recommend that you rinse in cold running water in mild detergent. <b>DISPOSAL:</b> According to local environmental legislation. <b>RECYCLING:</b> This glove contains natural rubber which may cause allergy. <b>ALLERGENS:</b> This product may contain components that may be a potential risk to allergic reactions. Do not use in case of hypersensitivity risks. For more information contact Ejendals.	
---------------	---	---	--

EN 16350:2014	PROTECTIVE GLOVES - GENERAL REQUIREMENTS AND TEST METHODS	<b>DISPOSAL:</b> According to local environmental legislation. <b>RECYCLING:</b> This glove contains natural rubber which may cause allergy. <b>ALLERGENS:</b> This product may contain components that may be a potential risk to allergic reactions. Do not use in case of hypersensitivity risks. For more information contact Ejendals.	
---------------	---	---	--

EN 16350:2014	PROTECTIVE GLOVES - GENERAL REQUIREMENTS AND TEST METHODS	<b>DISPOSAL:</b> According to local environmental legislation. <b>RECYCLING:</b> This glove contains natural rubber which may cause allergy. <b>ALLERGENS:</b> This product may contain components that may be a potential risk to allergic reactions. Do not use in case of hypersensitivity risks. For more information contact Ejendals.	
---------------	---	---	--

EN 16350:2014	PROTECTIVE GLOVES - GENERAL REQUIREMENTS AND TEST METHODS	<b>DISPOSAL:</b> According to local environmental legislation. <b>RECYCLING:</b> This glove contains natural rubber which may cause allergy. <b>ALLERGENS:</b> This product may contain components that may be a potential risk to allergic reactions. Do not use in case of hypersensitivity risks. For more information contact Ejendals.	
---------------	---	---	--

EN 16350:2014	PROTECTIVE GLOVES - GENERAL REQUIREMENTS AND TEST METHODS	<b>DISPOSAL:</b> According to local environmental legislation. <b>RECYCLING:</b> This glove contains natural rubber which may cause allergy. <b>ALLERGENS:</b> This product may contain components that may be a potential risk to allergic reactions. Do not use in case of hypersensitivity risks. For more information contact Ejendals.	
---------------	---	---	--

EN 16350:2014	PROTECTIVE GLOVES - GENERAL REQUIREMENTS AND TEST METHODS	<b>DISPOSAL:</b> According to local environmental legislation. <b>RECYCLING:</b> This glove contains natural rubber which may cause allergy. <b>ALLERGENS:</b> This product may contain components that may be a potential risk to allergic reactions. Do not use in case of hypersensitivity risks. For more information contact Ejendals.	
---------------	---	---	--

EN 16350:2014	PROTECTIVE GLOVES - GENERAL REQUIREMENTS AND TEST METHODS	<b>DISPOSAL:</b> According to local environmental legislation. <b>RECYCLING:</b> This glove contains natural rubber which may cause allergy. <b>ALLERGENS:</b> This product may contain components that may be a potential risk to allergic reactions. Do not use in case of hypersensitivity risks. For more information contact Ejendals.	
---------------	---	---	--

EN 16350:2014	PROTECTIVE GLOVES - GENERAL REQUIREMENTS AND TEST METHODS	<b>DISPOSAL:</b> According to local environmental legislation. <b>RECYCLING:</b> This glove contains natural rubber which may cause allergy. <b>ALLERGENS:</b> This product may contain components that may be a potential risk to allergic reactions. Do not use in case of hypersensitivity risks. For more information contact Ejendals.	
---------------	---	---	--

EN 16350:2014	PROTECTIVE GLOVES - GENERAL REQUIREMENTS AND TEST METHODS	<b>DISPOSAL:</b> According to local environmental legislation. <b>RECYCLING:</b> This glove contains natural rubber which may cause allergy. <b>ALLERGENS:</b> This product may contain components that may be a potential risk to allergic reactions. Do not use in case of hypersensitivity risks. For more information contact Ejendals.	
---------------	---	---	--

EN 16350:2014	PROTECTIVE GLOVES - GENERAL REQUIREMENTS AND TEST METHODS	<b>DISPOSAL:</b> According to local environmental legislation. <b>RECYCLING:</b> This glove contains natural rubber which may cause allergy. <b>ALLERGENS:</b> This product may contain components that may be a potential risk to allergic reactions. Do not use in case of hypersensitivity risks. For more information contact Ejendals.	
---------------	---	---	--

EN 16350:2014	PROTECTIVE GLOVES - GENERAL REQUIREMENTS AND TEST METHODS	<b>DISPOSAL:</b> According to local environmental legislation. <b>RECYCLING:</b> This glove contains natural rubber which may cause allergy. <b>ALLERGENS:</b> This product may contain components that may be a potential risk to allergic reactions. Do not use in case of hypersensitivity risks. For more information contact Ejendals.	
---------------	---	---	--

EN 16350:2014	PROTECTIVE GLOVES - GENERAL REQUIREMENTS AND TEST METHODS	<b>DISPOSAL:</b> According to local environmental legislation. <b>RECYCLING:</b> This glove contains natural rubber which may cause allergy. <b>ALLERGENS:</b> This product may contain components that may be a potential risk to allergic reactions. Do not use in case of hypersensitivity risks. For more information contact Ejendals.	
---------------	---	---	--

EN 16350:2014	PROTECTIVE GLOVES - GENERAL REQUIREMENTS AND TEST METHODS	<b>DISPOSAL:</b> According to local environmental legislation. <b>RECYCLING:</b> This glove contains natural rubber which may cause allergy. <b>ALLERGENS:</b> This product may contain components that may be a potential risk to allergic reactions. Do not use in case of hypersensitivity risks. For more information contact Ejendals.	
---------------	---	---	--

EN 16350:2014	PROTECTIVE GLOVES - GENERAL REQUIREMENTS AND TEST METHODS	<b>DISPOSAL:</b> According to local environmental legislation. <b>RECYCLING:</b> This glove contains natural rubber which may cause allergy. <b>ALLERGENS:</b> This product may contain components that may be a potential risk to allergic reactions. Do not use in case of hypersensitivity risks. For more information contact Ejendals.	
---------------	---	---	--

EN 16350:2014	PROTECTIVE GLOVES - GENERAL REQUIREMENTS AND TEST METHODS	<b>DISPOSAL:</b> According to local environmental legislation. <b>RECYCLING:</b> This glove contains natural rubber which may cause allergy. <b>ALLERGENS:</b> This product may contain components that may be a potential risk to allergic reactions. Do not use in case of hypersensitivity risks. For more information contact Ejendals.	
---------------	---	---	--

EN 16350:2014	PROTECTIVE GLOVES - GENERAL REQUIREMENTS AND TEST METHODS	<b>DISPOSAL:</b> According to local environmental legislation. <b>RECYCLING:</b> This glove contains natural rubber which may cause allergy. <b>ALLERGENS:</b> This product may contain components that may be a potential risk to allergic reactions. Do not use in case of hypersensitivity risks. For more information contact Ejendals.	
---------------	---	---	--

EN 16350:2014	PROTECTIVE GLOVES - GENERAL REQUIREMENTS AND TEST METHODS	<b>DISPOSAL:</b> According to local environmental legislation. <b>RECYCLING:</b> This glove contains natural rubber which may cause allergy. <b>ALLERGENS:</b> This product may contain components that may be a potential risk to allergic reactions. Do not use in case of hypersensitivity risks. For more information contact Ejendals.	
---------------	---	---	--

EN 16350:2014	PROTECTIVE GLOVES - GENERAL REQUIREMENTS AND TEST METHODS	<b>DISPOSAL:</b> According to local environmental legislation. <b>RECYCLING:</b> This glove contains natural rubber which may cause allergy. <b>ALLERGENS:</b> This product may contain components that may be a potential risk to allergic reactions. Do not use in case of hypersensitivity risks. For more information contact Ejendals.	
---------------	---	---	--

EN 16350:2014	PROTECTIVE GLOVES - GENERAL REQUIREMENTS AND TEST METHODS	<b>DISPOSAL:</b> According to local environmental legislation. <b>RECYCLING:</b> This glove contains natural rubber which may cause allergy. <b>ALLERGENS:</b> This product may contain components that may be a potential risk to allergic reactions. Do not use in case of hypersensitivity risks. For more information contact Ejendals.	
---------------	---	---	--

EN 16350:2014	PROTECTIVE GLOVES - GENERAL REQUIREMENTS AND TEST METHODS	<b>DISPOSAL:</b> According to local environmental legislation. <b>RECYCLING:</b> This glove contains natural rubber which may cause allergy. <b>ALLERGENS:</b> This product may contain components that may be a potential risk to allergic reactions. Do not use in case of hypersensitivity risks. For more information contact Ejendals.	
---------------	---	---	--

EN 16350:2014	PROTECTIVE GLOVES - GENERAL REQUIREMENTS AND TEST METHODS	<b>DISPOSAL:</b> According to local environmental legislation. <b>RECYCLING:</b> This glove contains natural rubber which may cause allergy. <b>ALLERGENS:</b> This product may contain components that may be a potential risk to allergic reactions. Do not use in case of hypersensitivity risks. For more information contact Ejendals.	
---------------	---	---	--

EN 16350:2014	PROTECTIVE GLOVES - GENERAL REQUIREMENTS AND TEST METHODS	<b>DISPOSAL:</b> According to local environmental legislation. <b>RECYCLING:</b> This glove contains natural rubber which may cause allergy. <b>ALLERGENS:</b> This product may contain components that may be a potential risk to allergic reactions. Do not use in case of hypersensitivity risks. For more information contact Ejendals.	
---------------	---	---	--

EN 16350:2014	PROTECTIVE GLOVES - GENERAL REQUIREMENTS AND TEST METHODS	<b>DISPOSAL:</b> According to local environmental legislation. <b>RECYCLING:</b> This glove contains natural rubber which may cause allergy. <b>ALLERGENS:</b> This product may contain components that may be a potential risk to allergic reactions. Do not use in case of hypersensitivity risks. For more information contact Ejendals.	
---------------	---	---	--

**EN 16350:2014**  
**SUOJÄRJESTYS**  
**EN 16350:2014 SUOJÄRJESTYS**  
**EN 16350:2014 SUOJÄRJESTYS**

**EN ISO 21420:2020 SUOJÄRJESTYS**  
**EN ISO 21420:2020 SUOJÄRJESTYS**  
**EN ISO 21420:2020 SUOJÄRJESTYS**

**EN 388:2016 +A1:2018**  
**EN 388:2016 +A1:2018**  
**EN 388:2016 +A1:2018**

**EN 16350:2014**  
**EN 16350:2014**  
**EN 16350:2014**

**EN ISO 21420:2020**  
**EN ISO 21420:2020**  
**EN ISO 21420:2020**

**EN 16350:2014**  
**EN 16350:2014**  
**EN 16350:2014**

**EN 16350:2014**  
**EN 16350:2014**  
**EN 16350:2014**

**EN 16350:2014**  
**EN 16350:2014**  
**EN 16350:2014**

**EN 16350:2014**  
**EN 16350:2014**  
**EN 16350:2014**

**EN 16350:2014**  
**EN 16350:2014**  
**EN 16350:2014**

**EN 16350:2014**  
**EN 16350:2014**  
**EN 16350:2014**

**EN 16350:2014**  
**EN 16350:2014**  
**EN 16350:2014**

**EN 16350:2014**  
**EN 16350:2014**  
**EN 16350:2014**

**EN 16350:2014**  
**EN 16350:2014**  
**EN 16350:2014**

**EN 16350:2014**  
**EN 16350:2014**  
**EN 16350:2014**

**EN 16350:2014**  
**EN 16350:2014**  
**EN 16350:2014**

**EN 16350:2014**  
**EN 16350:2014**  
**EN 16350:2014**

**EN 16350:2014**  
**EN 16350:2014**  
**EN 16350:2014**

**EN 16350:2014**  
**EN 16350:2014**  
**EN 16350:2014**

**EN 16350:2014**  
**EN 16350:2014**  
**EN 16350:2014**

**EN 16350:2014**  
**EN 16350:2014**  
**EN 16350:2014**

**EN 16350:2014**  
**EN 16350:2014**  
**EN 16350:2014**

**EN 16350:2014**  
**EN 16350:2014**  
**EN 16350:2014**

**EN 16350:2014**  
**EN 16350:2014**  
**EN 16350:2014**

**EN 16350:2014**  
**EN 16350:2014**  
**EN 16350:2014**

**EN 16350:2014**  
**EN 16350:2014**  
**EN 16350:2014**

**EN 16350:2014**  
**EN 16350:2014**  
**EN 16350:2014**

**EN 16350:2014**  
**EN 16350:2014**  
**EN 16350:2014**

**EN 16350:2014**  
**EN 16350:2014**  
**EN 16350:2014**

**EN 16350:2014**  
**EN 16350:2014**  
**EN 16350:2014**

**EN 16350:2014**  
**EN 16350:2014**  
**EN 16350:2014**

**EN 16350:2014**  
**EN 16350:2014**  
**EN 16350:2014**

**EN 16350:2014**  
**EN 16350:2014**  
**EN 16350:2014**

**EN ISO 21420:2020**  
**EN ISO 21420:2020**  
**EN ISO 21420:2020**

**EN 388:2016 +A1:2018**  
**EN 388:2016 +A1:2018**  
**EN 388:2016 +A1:2018**

**EN 16350:2014**  
**EN 16350:2014**  
**EN 16350:2014**

**EN ISO 21420:2020**  
**EN ISO 21420:2020**  
**EN ISO 21420:2020**

**EN 16350:2014**  
**EN 16350:2014**  
**EN 16350:2014**

**EN 16350:2014**  
**EN 16350:2014**  
**EN 16350:2014**

**EN 16350:2014**  
**EN 16350:2014**  
**EN 16350:2014**

**EN 16350:2014**  
**EN 16350:2014**  
**EN 16350:2014**

**EN 16350:2014**  
**EN 16350:2014**  
**EN 16350:2014**

**EN 16350:2014**  
**EN 16350:2014**  
**EN 16350:2014**

**EN 16350:2014**  
**EN 16350:2014**  
**EN 16350:2014**

**EN 16350:2014**  
**EN 16350:2014**  
**EN 16350:2014**

**EN 16350:2014**  
**EN 16350:2014**  
**EN 16350:2014**

**EN 16350:2014**  
**EN 16350:2014**  
**EN 16350:2014**

**EN 16350:2014**  
**EN 16350:2014**  
**EN 16350:2014**

**EN 16350:2014**  
**EN 16350:2014**  
**EN 16350:2014**

**EN 16350:2014**  
**EN 16350:2014**  
**EN 16350:2014**

**EN 16350:2014**  
**EN 16350:2014**  
**EN 16350:2014**

**EN 16350:2014**  
**EN 16350:2014**  
**EN 16350:2014**

**EN 16350:2014**  
**EN 16350:2014**  
**EN 16350:2014**

**EN 16350:2014**  
**EN 16350:2014**  
**EN 16350:2014**

**EN 16350:2014**  
**EN 16350:2014**  
**EN 16350:2014**

**EN 16350:2014**  
**EN 16350:2014**  
**EN 16350:2014**

**EN 16350:2014**  
**EN 16350:2014**  
**EN 16350:2014**

**EN 16350:2014**  
**EN 16350:2014**  
**EN 16350:2014**

**EN 16350:2014**  
**EN 16350:2014**  
**EN 16350:2014**

**EN 16350:2014**  
**EN 16350:2014**  
**EN 16350:2014**

**EN 16350:2014**  
**EN 16350:2014**  
**EN 16350:2014**

**EN 16350:2014**  
**EN 16350:2014**  
**EN 16350:2014**

**EN 16350:2014**  
**EN 16350:2014**  
**EN 16350:2014**

**EN 16350:2014**  
**EN 16350:2014**  
**EN 16350:2014**

**EN 16350:2014**  
**EN 16350:2014**  
**EN 16350:2014**

**EN ISO 21420:2020**  
**EN ISO 21420:2020**  
**EN ISO 21420:2020**

**EN 388:2016 +A1:2018**  
**EN 388:2016 +A1:2018**  
**EN 388:2016 +A1:2018**

**EN 16350:2014**  
**EN 16350:2014**  
**EN 16350:2014**

**EN ISO 21420:2020**  
**EN ISO 21420:2020**  
**EN ISO 21420:2020**

**EN 16350:2014**  
**EN 16350:2014**  
**EN 16350:2014**

**EN 16350:2014**  
**EN 16350:2014**  
**EN 16350:2014**

**EN 16350:2014**  
**EN 16350:2014**  
**EN 16350:2014**

**EN 16350:2014**  
**EN 16350:2014**





